

	L #	Hits	Search Text	DBs
1	L1	2	"6006294"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	39397	communication and layer and message	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	11238	communication and layer same message and (address or location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	1494	3 and layer.ti,ab.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	3438	communication and layer same message same (address or location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	3226	5 and protocol	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	1025	6 and 709/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	0	(efficiently adj encoding adj wireless).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	0	(efficiently adj encoding adj wireless).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
10	L10	3	(encoding adj wireless).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
11	L11	5	(encoding adj wireless) and data adj packet and header	USPAT; US-PGPUB; EPO; JPO; DERWENT;
12	L12	14742	((encod\$3 or process\$3) near4 (header) or encapsulat\$3) near4 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L14	889	((encod\$3 or process\$3) near4 (header) or encapsulat\$3 near3 packet) near4 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L15	92	((encod\$3 or process\$3) near4 (header) or encapsulat\$3 near3 packet) near4 layer).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L13	5	12 same offload\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	L #	Hits	Search Text	DBs
16	L16	67	15 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
17	L17	119	14 and (@ad<20001013 or @prad<20001013) and osi	USPAT; US-PGPUB; EPO; JPO; DERWENT;
18	L18	70	17 and (layer or packet).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
19	L19	451	osi near4 layer and (packet) near4 (header or encapsulat\$3) near4 (pointer or index or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L20	0	19 and (encapsulat\$3 or encod\$3) near5 layer near4 (together or all)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L21	96	19 and (encapsulat\$3 or encod\$3) near5 layer	USPAT; US-PGPUB; EPO; JPO; DERWENT;
22	L22	42	21 and (@ad<20001013 or @prad<20001013) and osi	USPAT; US-PGPUB; EPO; JPO; DERWENT;
23	L23	169	(encapsulat\$4 near4 packet).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
24	L24	5	23 and osi and layer	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	L #	Hits	Search Text	DBs
1	L1	446	(link\$3 or associat\$3) near5 layer near5 (packet or message) with (address or pointer or location or index)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	417	1 and (osi or protocol)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	135	1 and (osi)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	91	3 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	1328	709/230.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	396	5 and packet and layer and header	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	141	5 and packet and layer and header and osi	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	72	7 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	934	layer.clm. and address.clm. and (message or packet).clm. and (link\$3 or associat\$3).clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	78	9 and encod\$3.clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L11	38	10 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L12	33	((encod\$3 or encapsulat\$3) near3 (packet or message) with (protocol or transmi\$5 or send\$3 or stack)).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L13	25	12 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L14	9	header near3 (address or pointer) near3 encapsulation near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
15	L15	5	encapsulat\$3 near5 layer near5 message near5 address	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L16	133	(pass\$3 or send\$3) near3 (data or information or body) near4 next near3 layer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L17	42	16 and protocol near3 stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
18	L18	14	17 and header and encapsulat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L19	7	18 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L20	1	5485460.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L21	29	6034963.URPN.	USPAT
22	L22	182	(pass\$3 or send\$3) near3 (data or information or body or message or package or packet) near4 next near3 layer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L23	36	"182" same protocol near3 stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L24	23	22 same protocol near3 stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L25	20	24 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L26	1133	(pass\$3 or send\$3) near3 (data or information or body or message or package or packet) near4 layer and protocol adj stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	L27	11138 5	(encod\$3) near3 (data or information or body or message or package or packet)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
28	L28	303	26 and 27	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	L29	40	28 and improv\$5 with (protocol or stack or tcp)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
30	L30	24	29 and (@ad<20001013 or @prad<20001013)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB